

Trade name: **EMULEX 1**Revision: 01.11.2016  
Printing date: 1/17/2019**1. Product identification****1.1. Product name:**

Explosive emulsion in cartridges - Emulex 1

**1.2. Recommended uses of the product:****Explosive for use in civil applications:**

Open-air and underground mining

Quarries

Civil works and demolitions

**1.3. Safety sheet supplier's data**

Austin Powder Argentina S.A.- Luis Maggi 770 - Rafaela (Santa Fe) - Phone: + 54 3492 434851 - Fax: + 54 3492 433905 88

**1.4. Emergency phone numbers**

+54 3492 424775

**2. Hazard identification****2.1. Classification of the mixture****Classification according to SGA - 5<sup>th</sup> Edition****Physical hazards** Explosives - Division 1.1 - Danger**Health hazards** Eye irritating agent - Category 2B – Attention  
Skin irritating agent – Category 2 - Attention**Human and environmental-specific hazards:**

Substances and goods that present a risk of mass explosion.

The product must be labelled according to the established regulations listed in the "Globally Harmonized System of Classification and Labelling of Chemical Products", according to resolution 801/15 of the Labour Risks Superintendency (SRT).

**2.2. Label elements:****Labelled according to UE norms:****Warning:**

Hazard

**Danger indications:**

H201 Explosive; mass explosion hazard.

**Caution advice:**

P221 Take all the precautions necessary so as not to mix with combustible material.

P210 Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke.

P250 Avoid abrasion/shock/friction/...

P280 Use gloves/protective clothing/eye and face protection.



Trade name: EMULEX 1

Revision: 01.11.2016  
Printing date: 1/17/2019

P305 + P351 + P338	IN CASE OF CONTACT WITH THE EYES: Rinse carefully with water for several minutes. Remove contact lenses, if applicable and removal is easy. Continue rinsing
P373	Do NOT try to extinguish fire when it reaches the explosives.
P306 + P360	IN CASE OF CONTACT WITH CLOTHES: Rinse contaminated skin and clothes immediately with plenty of water before taking off the clothes.
P370 + P380	In case of fire: Evacuate the area.
P301 + P312	IN CASE OF INGESTION: Call a TOXICOLOGICAL INFORMATION CENTER or a doctor if the person feels unwell.
P372	Explosion risk in case of fire.
P313	Seek medical advice.
P302 + P352	IN CASE OF CONTACT WITH THE SKIN: wash with plenty of water and soap.
P401	Store according to national/international/regional/local regulations.
P501	Eliminate the content/container according to the regulations for dangerous products.

### 2.3. Other hazards

3. Composition/information on ingredients			
3.1. Substances			
3.2. Mixtures			
Components	CAS	Classification	Rank
Ammonium nitrate	6484-52-2	Oxidating agent: 3 - H272; Eye irritating agent 2 - H319	Between 50-80%
Sodium nitrate	7631-99-4	Ox. Sol. 2, H272; Acute tox. in case of ingestion 4, H302, skin irritating agent 2, H315; eye irritating agent 2, H319; respiratory tract irritating agent 3, STOT SE 3, H335	Between 10-16%
Sodium nitrite	7632-00-0	Ox. Sol. 3 H272 May intensify a fire; combustion agent. Acute toxicity 3 H301 Toxic in case of ingestion. Aquatic Acute 1 H400. Very toxic for aquatic organisms.	0.07%

4. First aid	
4.1. Description of necessary first aid measures	
• <b>General information:</b>	Poisoning symptoms can appear after several hours; therefore, seek medical monitoring by at least 48 hours after the incident.
• <b>Inhalation:</b>	Take the person to open air and keep them at rest in a comfortable position for breathing. Seek medical advice immediately.
• <b>Skin contact:</b>	Wash with plenty of water and mild soap Seek medical advice.
• <b>Eye contact:</b>	Wash with plenty of water for at least 15 minutes. Seek medical advice.
• <b>Ingestion:</b>	Wash mouth with water. Seek medical care immediately.

Trade name: **EMULEX 1**Revision: 01.11.2016  
Printing date: 1/17/2019**4.2. Most important symptoms and effects, both acute and delayed:**

No other relevant information available

**4.3. Indication of immediate medical care or special treatment needed:**

No other relevant information available

**5. Firefighting procedures****5.1. Appropriate extinguishing media**

Do not extinguish fires. Evacuate personnel immediately. Let the fire extinguish by itself.

In particular situations, flood with water by means of a remote system.

**5.2. Mixture specific hazards**

During heating or in case of fire the following gases are released:

Nitrous oxide (NOx)

Carbon monoxide (CO)

Ammonia (NH3)

**5.3. Special procedures to be taken by firefighting teams**

If directly surrounded by fire: do not extinguish the fire, give warning and evacuate the area for at least 800 meters.

If not directly surrounded by fire: remove the product from the danger area. Stop the fire from reaching the product.

**• Protection equipment**

Use positive pressure self-contained breathing equipment. Use complete protection equipment.

**• Additional information**

Collect the contaminated water used for the extinction of the fire. Such water must not enter the drainage system.

Give warning about explosion hazard.

**6. Procedures in case of spills****6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition

All the people whose presence is not necessary must be removed from the affected area.

Avoid contact with skin, eyes and clothes.

Avoid shock wave or friction

**6.2. Precautions in relation with the environment**

Do not allow the product to enter to the drainage system or reach a watercourse.

Report to the corresponding authorities in case that the product reaches the drainage system or a watercourse.

In case of filtration in the earth, report to the competent authorities.

**6.3. Methods and materials for containment and cleaning of dumping**

Pick-up mechanically.

Give warning about explosion hazard.

Trade name: **EMULEX 1**Revision: 01.11.2016  
Printing date: 1/17/2019

## 7. Handling and storage

### 7.1. Precautions for safe handling

- Keep containers closed.
- Handle with precaution. Avoid shaking, friction or shocks.
- Keep away from heat or solar light.

### 7.2. Information on protection against explosions and fire:

- Keep away from sources of ignition. Do not smoke.
- Provide fire extinguishers.
- Keep respiratory protection available.

### 7.3. Conditions for safe storage, including any incompatibilities

- Requirements regarding warehouses and containers:**
  - Store in a well-ventilated place.
- Information about storage in a single warehouse:**
  - Store separated from oxidizing agents
  - Store separated from reduction agents.
- Recommended storage temperature:**
  - Storage at up 60°C is safe.

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### Components with permissible limit values that must be controlled in the workplace:

The product does not contain any relevant amount of material with critical values that have to be monitored in the workplace.

### 8.2. Appropriate technical controls

#### Protective and hygiene measures:

Reduce the number of individuals at the work area to the minimum. Authorized personnel only.

### 8.3. Measures for individual protection

#### Protective and hygiene measures

Keep away from drinks and foods.

Take contaminated clothes off immediately.

Wash hands before eating and after finishing the work.

Avoid contact with eyes and skin.

#### Respiratory protection

Not required under normal conditions

#### Protection for hands

Protective gloves.

The material of gloves must be waterproof and resistant to the product/substance/preparation.

The selection of the material of gloves must consider the penetration time and the degradation and diffusion degree.

Not required for handling the product when packed.

#### Material of gloves



Trade name: EMULEX 1

Revision: 01.11.2016  
Printing date: 1/17/2019

Nitrile

Neoprene

The selection of the gloves available depends not only on the material, but also on the trademark, quality and other characteristics that are different among manufacturers. Since the product is a preparation of several substances, the resistance of the material of the gloves does not need to be calculated beforehand and must be checked before its use.

- **Eye protection**

Use security glasses.

- **Protection for the body**

Working clothes.

## 9. Physical and chemical properties

- **Appearance**

Form:	Solid paste, covered in plastic film
-------	--------------------------------------

Colour:	White
---------	-------

- **Odour:**

Odourless
-----------

- **Change of state**

Melting point/melting range	Not available
-----------------------------	---------------

- **Flash point:**

Ignition temperature:	Not available
-----------------------	---------------

- **Decomposition temperature:**

Decomposition temperature:	> 170°C
----------------------------	---------

- **Deflagration point:**

Deflagration point:	250°C
---------------------	-------

- **Autoflammability:**

Autoflammability:	The product does not autoignite.
-------------------	----------------------------------

- **Danger of explosion:**

Danger of explosion:	Danger of explosion due to impact, friction, fire and other sources of ignition.
----------------------	----------------------------------------------------------------------------------

	The heat can cause an explosion.
--	----------------------------------

- **Density:**

Density:	1.1- 1.3 gr/cm <sup>3</sup>
----------	-----------------------------

- **Solubility in water:**

Solubility in water:	Soluble
----------------------	---------

## 10. Stability and reactivity

### 10.1. Reactivity

It can explode if exposed to fire or heat, especially when confined and in great amounts, or if detonated.

Do not to use in reactive grounds.

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

Thermal decomposition initiates at 170°C.

### 10.4. Conditions to be avoided

Heat, flames, sparks, shocks and friction. (danger of explosion)

**Trade name: EMULEX 1**Revision: 01.11.2016  
Printing date: 1/17/2019**10.5. Incompatible materials**

Alkalies, strong acids.

**10.6. Dangerous decomposition products**

Gaseous nitrogen oxides and carbon oxides in case of fire or ammonia.

**11. Toxicological information****· Acute toxicity:**

No data available.

**· Primary irritating effects:**

On the skin: It causes skin and mucous membranes irritation.

On the eyes: It causes eye irritation.

**· Sensitization:**

Non-sensitizing.

**· Additional toxicological information:**

No data available.

**· Information about possible routes of exposure**

Toxic if swallowed.

Irritating

**12. Ecotoxicological information****12.1. Toxicity****· Aquatic toxicity:**

Not available.

**Ecotoxicological effects:**

Ammonium nitrate, CAS 6484-52-2 for aquatic organisms: LD50/96 h 10-100 ppm

For fish 800 mg/L lethal in 3.9 hs

Sodium nitrate; 7631-99-4

Toxicity on fish LC50>1000 mg/L 96 h

Daphnia Daphnia LC50>1000 mg/L24 h

**12.2. Persistence and degradability:**

Easily biodegradable

**12.3. Bioaccumulative potential:**

Not available.

**12.4. Mobility in soil:**

Not available.

**12.5. Results of PBT and vPvB assessment:**

Non-applicable

**12.6. Other adverse effects:****13. Disposal considerations**

Trade name: **EMULEX 1**Revision: 01.11.2016  
Printing date: 1/17/2019**13.1. Methods of waste treatment.****• Recommendations:**

Do not dispose of together with household waste. Do not allow the product to reach the drainage system.

**• Packaging without cleaning:**

Recommendations: They must be disposed of according to official regulations (incineration)

**14. Information on transport****14.1. UN number**

• ADR, IMDG, IATA:	0241
--------------------	------

**14.2. UN shipping name**

• ADR:	0241 Explosive Type E
• MERCOSUR	0241 Explosive Type E
• IMDG:	0241 Explosive Type E
• IATA	Prohibited

**14.3. Transport hazard class**

• ADR:	
Classes	1.1D Explosive substance or product
Tunnel restriction code:	B1000C
• IMDG:	
Classes:	1.1 D
• IATA:	
Class	1
Remarks	Prohibited

**14.4. Packing group**

Label marking

**14.5. Packing group**

• ADR, IMDG:	No	n-applicable
--------------	----	--------------

**14.6. Environmental risk**

• Sea contaminant	No
-------------------	----

**14.7. Special precautions for use**

• Warning	Danger Explosive substance/product
• Danger code (Kemler):	1.1D

**Trade name: EMULEX 1**Revision: 01.11.2016  
Printing date: 1/17/2019

• EMS number:	F-B, S-X
<b>14.8. Code of bulk transport according to ANNEX II of MARPOL73/78 and IBC</b>	No data available.

**15. Regulatory information****15.1. Regulations/safety, hygiene and environment legislation for the substance or mixture.****• National regulation:**

Act 19587 Regulatory decree 351/79 and Decree 295/2003  
Act 20429 and decree 302/83

**15.2. Chemical security assessment:**

No chemical safety assessment has been carried out.

**16. Other information****References and acronyms**

IMDG Code: International Maritime Code for dangerous goods transportation.

IATA-DGR: Association of International Air Transport - Regulations on Dangerous Goods.

MERCOSUR: MERCOSUR: Southern Common Market - Agreement on Transport of Dangerous Goods ADR: European Agreement concerning the international transport of dangerous goods by road.

The information contained in this document is assumed to be accurate according to the sources consulted as of the date of issuance. The Company disclaims any liability for the misinterpretation or misuse of the information contained in this sheet. The use of this information, as well as conditions for handling, storage, use or disposal of the product, are not the responsibility of the company, therefore, the user must determine whether the necessary security conditions are met for the use of the product.