



PRODUCT INFORMATION BROCHURE

1.5D

AUSTINITE



Austinite Blasting agent based on prilled ammonium nitrate mixed with a combustible agent (Diesel).

PRODUCT DESCRIPTION

ADVANTAGES

- Excellent coupling characteristics in the blast-hole provided the appropriate product diameter be applied according to the dimensions of the blast-hole.
- Good gas volume development that improves the displacement of fragmented rock.
- Low sensitivity.
- Low product density.
- Easy to use.
- Very little amount of toxic fumes.

APPLICATION RECOMMENDATIONS

- In open-pit mining.
- Underground mining with good ventilation.
- Quarries.
- Civil construction work.
- Its use is limited to perforations that do not contain water.
- It requires a high explosive as a minimum detonator for its initiation (for example, encapsulated emulsion sensitive to the detonator, pentolite booster, among others) of adequate size for its correct initiation. Blasting agents are not sensitive to initiation with detonators.
- Austin accepts no responsibility for any loss or liability arising from the use of the product on ground that contains pyrite or other reactive material.

PRODUCT INFORMATION

STANDARD CONTAINER

Austinite is delivered in 25kg polypropylene bags with an internal polythene bag with waterproof and appropriate characteristics to protect the product from moisture.

PROPERTIES

Properties	Value
Nominal Density [g/cm ³] ⁽¹⁾	0.80
Velocity of Detonation, VOD [m/s] ⁽²⁾	3,000

Notas:

(1) Product density is a property that depends on temperature.

(2) VOD results depend on application, diameter and confinement. Confined in 50 mm tube.

STORAGE, SHELF-LIFE & DISPOSAL

- **STORAGE:** Storage must be in accordance with local, provincial, state and federal laws. Store in a dry, fresh, clean and well-ventilated environment. Do not expose the product to direct sunlight or heat sources. Store in a moisture free environment. Lower temperature limit +16 °C. Upper temperature limit +32 °C.
- **SHELF LIFE:** 3 (three) months from the date of manufacture under proper storage conditions.
- **FINAL DISPOSAL:** In accordance with legal, local and national requirements. If in doubt, contact your supplier or manufacturer.

TRANSPORTATION DATA

Shipping Name: Blasting Agent, TYPE B

UN Class and Division: 1.5D

UN Number: 0331

Warranty disclaimer and limitations of liability: © Industriales Austin de Costa Rica S.A. All rights reserved. All information contained in this document is provided for informational purposes only and it is subject to change without notice. Given that Industriales Austin de Costa Rica S.A. cannot anticipate or control the conditions under which this information and its product can be used, each user must review the information in the specific context of the intended application. For the maximum extent permitted by law, Industriales Austin de Costa Rica S.A. specifically rejects all warranties expressed or implied by law, including accuracy, non-infringement and implied warranties of merchantability or fitness for a particular purpose. Industriales Austin de Costa Rica, S.A. specifically exempts itself from and will not be liable for any type of injury (including death), loss or damage to people or property resulting from the use or reliance on the information contained in this document.



AUSTIN POWDER

Our Mission: To improve the world we live in through the safe and responsible use of explosives.

Industriales Austin de Costa Rica, Esparza, Puntarenas, km 101 Interamericana Norte.
austinpowder.com | info@austinpowder.com | Teléfono (+506) 4001 94 30