AUSTIN POWDER

SAFETY DATA SHEET

Hydromite 100, Hydromite 70, HEET 30

according to Regulation (EC) No 1907/2006 (REACH)

Print date: 27.09.2018

Revision date: 27.09.2018

Page 1/8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: Hydromite 100, Hydromite 70, HEET 30
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture:

Explosives for commercial use.

Note the manufacturer's product information.

Use the product only within the framework of existing laws and regulatory approvals.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

AUSTIN POWDER GmbH E-Mail: sdb@austinpowder.at

· Information department:

AUSTIN POWDER GmbH, (Mo. - Fr. 6 - 13): +43(0)3585-2251

E-Mail: sdb@austinpowder.at

· 1.4 Emergency telephone number

Poison Control Center: +43 (01) 406 43 43

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

Expl. 1.1 H201 Explosive; mass explosion hazard.

Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer.

Eye Irrit. 2 H319 Causes serious eye irritation.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation. In terms of labelling the derogation according to Art. 23e in conjunction with Appendix I, section 1.3.5 und 2.1 is claimed.

· Hazard pictograms:





(Contd. of page 1)

Hydromite 100, Hydromite 70, HEET 30

Signal word: DangerHazard statements:

H201 Explosive; mass explosion hazard.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P250 Do not subject to grinding/shock/friction.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P373 DO NOT fight fire when fire reaches explosives.

P306+P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water

before removing clothes.

P370+P380 In case of fire: Evacuate area. P372 Explosion risk in case of fire.

P401 Store in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 6484-52-2 EINECS: 229-347-8	Ammonium nitrate	60 - 92%
Reg.nr.: 01-2119490981-27	♠ Ox. Sol. 2, H272; ♦ Eye Irrit. 2, H319	
CAS: 7631-99-4	Sodium nitrate	2 - 18%
EINECS: 231-554-3 Reg.nr.: 01-2119488221-41	♠ Ox. Sol. 2, H272; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

[·] Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

· After inhalation:

Take affected persons into fresh air and keep quiet.

Seek immediate medical advice.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth, seek medical treatment. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may even occur after several hours, therefore medical observation for at least 48 hours after the accident.

Symptoms include methemoglobin formation through NO contact, pulmonary edema with a latency up to 48 hours. In men with frequent inhalation: erectile dysfunction to impotency.



Hydromite 100, Hydromite 70, HEET 30

(Contd. of page 2)

· Information for doctor:

Particularly for the prevention of pulmonary edema cortisone must be administered by inhalation (depending on the type of drug 5-10 inhalations).

Medical supervision of the patient at least for 72-96 hours.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

Explosive material, no fire-fighting!

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx),

Carbon monoxide (CO),

Ammonia (NH3)-fumes.

If product is directly involved in the fire:

Explosion hazard - no fire fighting. Warn and evacuate the area. At least 300 m away for cover.

If product is not directly involved in the fire:

The fire from spreading to the product must avoid If possible remove product from the danger zone.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Announcing risk of explosion!

SECTION 6: Accidential release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

Announcing risk of explosion!

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact. Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

Use explosion-proof apparatus / fittings and spark-proof tools.

Fire extinguishers provide.

Prevent impact and friction.



Hydromite 100, , Hydromite 70, HEET 30

Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: For storage is required a national permit
- · Information about storage in one common storage facility:

Store separately from oxidising and spontaneously flammable substances.

Store away from oxidising agents.

Store away from reducing agents.

- · Further information about storage conditions: Store receptacle in well ventilated area.
- · Recommended storage temperature: Do not store below 5 °C or above 30 °C.
- · 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures should be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Do not eat, drink, smoke while working.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

Tightly sealed goggles.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: plastic to solid ground

Colour: White
Odour: Mineral-oil-like

· Change in condition

Melting point/Melting range: undetermined Boiling point/Boiling range: undetermined



Hydromite 100, Hydromite 70, HEET 30

(Contd. of page 4)

	(outlier or page
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Contact with combustible material may cause fire.
· Ignition temperature:	
Decomposition temperature	:> 200 °C
· Self igniting:	Product is not selfigniting.
· Danger of explosion:	Risk of explosion by shock, friction, fire or other sources of ignition. Heating may cause an explosion.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	0.8 - 1.3 g/cm ³
· Solubility in / Miscibility with Water:	Soluble
· Solvent content:	
Solids content: · 9.2 Other information	100.0 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Risk of explosion by shock, friction, fire or other sources of ignition.

· 10.2 Chemical stability

The product is chemically stable under the recommended conditions of use.

Conditions to avoid:

Avoid: heat, flames, sparks.

Shock, friction (explosive hazard)

· 10.3 Possibility of hazardous reactions

Reacts with reducing agents. Reacts with flammable substances. Reacts with strong acids and alkali.

· 10.5 Incompatible materials:

Acids

alkali (lyes)

Avoid contaminations with other chemical/substances, especially chlorid-containing compounds, copper, brass i.a. copper-alloy, chromate and zinc.

· 10.6 Hazardous decomposition products

Nitrogen oxides (NOx),

Carbon monoxide and carbon dioxide,

Ammonia.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · on the skin: Easy Irritating effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitisation: No sensitising effects known.
- · Experience with humans: Repeated contact with the explosive material can cause skin and eye irritation.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant



Hydromite 100, Hydromite 70, HEET 30

Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability

Easily biodegradable.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

- · Ecotoxical effects:
- · Type of test: Effective concentration Method Assessment

Ammonium nitrate, CAS 6484-52-2

To aquatic organisms: LD50/96 h 10 - 100 ppm

For fish: 800 mg / L lethal in 3.9 hours

Sodium nitrate; 7631-99-4

Toxicity to fish: LC50> 1000 mg / L 96 h Daphnia: LC50> 1000 mg / L 24 h • Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

The disposal codes of the European list of wastes depend on the country of origin of the waste. This product has got identified uses in a various industries. Thereby, a definite disposal code cannot be stated. The disposal code should be selected in agreement with disposer and/or the competent authority.

- · Uncleaned packagings:
- · Recommended cleansing agent: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.	.1	10	N-N	um	ber

· ADR, IMDG Void



Hydromite 100, Hydromite 70, HEET 30

(Contd. of page 6)

	(Conta. or pag	,
· 14.2 UN proper shipping name	V-:-	
· ADR	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG		
· Class	Void	
· Label	Void	
· 14.4 Packing group		
· ADR, IMDG		
<u> </u>		
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Warning: Explosive substances and articles.	
· EMS Number:	F-A,S-Y	
14.7 Transport in hulk according to Anney		-
 14.7 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code 		
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Transport category	Void	
· Tunnel restriction code	Void	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Liability about information is not warranted although information is given to our best knowledge.

Relevant phrases:

H226 Flammable liquid and vapour.H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

R10 Flammable.

R22 Harmful if swallowed. R35 Causes severe burns. R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.
R8 Contact with combustible material may cause fire.
R9 Explosive when mixed with combustible material.

Recommended restriction of use:

Handling of explosives is permitted only to persons with appropriate permission.

· Department issuing MSDS: Labor Austin Powder

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)



Page 8/8



Print date: 27.09.2018 Revision date: 27.09.2018

(Contd. of page 7)

Hydromite 100, Hydromite 70, HEET 30

Expl. 1.1: Explosives, Division 1.1
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Ox. Sol. 1: Oxidising Solids, Hazard Category 1
Ox. Sol. 2: Oxidising Solids, Hazard Category 2
Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute 10x. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* * Data compared to the previous version altered.