

NON-ELECTRIC DETONATOR

According to Resolution 801/15 of the Superintendency of Occupational Risks (SRT) and Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Issue date: 11.12.2024

Version: 7.0 Page 1/10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SHOCKSTAR DETONATOR

Shockstar TS (2500-9000 ms), Shockstar TS-1 (2500-9000 ms), Shockstar Dual Delay (2500-9000 ms), Shockstar Dual Delay-1 (2500-9000 ms).

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

Detonators for commercial use. Open-air mining and quarries Underground mining Civil work sites Demolitions

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

E-Mail: apa.comercial@austinpowder.com

Information Department:

Austin Powder Argentina S.A.- Luis Maggi 770 - Rafaela (Santa Fe) - Phone: + 54 3492 434851 - Fax: + 54 3492 433905 88

1.4 Emergency telephone number:

+54 3492 424775 - 0800 666 2282 (CIPET)

SECTION 2: Hazards identification

2.1 Classification of the mixture

Classification according to SGA - 5° Edition:

Hazard class	Code	Hazard Category
Expl. 1.1	H201	Division 1.1
Acute toxicity (oral)	H302	4
Acute toxicity (inhalation:dust,mist)	H331	3
Respiratory sensitisation	H334	1
Skin sensitisation	H317	1
Germ cell mutagenicity	H340	1B
Carcinogenicity	H350	1A
Reproductive toxicity	H360Df	1A
Reproductive toxicity, Additional category, Effects on or via lactation	H362	
Specific target organ toxicity	H372	1
Hazardous to the aquatic environment — Acute Hazard	H400	1
Hazardous to the aquatic environment — Chronic Hazard	H411	2

Human and environmental-specific hazards:

Substances and goods that present a risk of mass explosion.

2.2 Label elements

The product must be labelled according to the established regulations listed in the "Globally Harmonized System of Classification and Labelling of Chemical Products", according to resolution 801/15 of the Labour Risks Superintendency (SRT).



Page 2/10

Issue date: 11.12.2024

Version: 7.0

SHOCKSTAR DETONATORS (2500-9000ms)

Hazard pictograms:





GHS06



GHS08



GHS01

GHS09

Signal word: Danger.

Hazard statements:

H201 - Explosive; mass explosion hazard.

H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H331 - Toxic if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 - May cause genetic defects.

H350 - May cause cancer.

H360Df - May damage the unborn child. Suspected of damaging fertility.

H362 - May cause harm to breast-fed children.

H372 - Causes damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements:

P201 Read instructions before use

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P372+P380+P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.

P401 Store in accordance with local regulations on explosives, in dry and well-

ventilated areas, in temperatures -30 °C to +40 °C...

P501 Dispose of contents/container to must be in accordance with corresponding

local regulations for disposal of packages and explosives

2.3 Other hazards

The mixture doesn't meet the criteria for classification as PBT or vPvB substances and mixtures.

Physicochemical effect: Risk of explosion, an uncontrolled explosion may cause great physical damage.

In the assembled detonator, the hazardous substances are enclosed in a metal case that cannot be disassembled. These substances can be released only by detonation in the form of post-detonation reaction products.

SECTION 3: Hazards identification

3.1 Substances

Non-applicable

3.2 Mixtures

Comments: Nonelectric assembled detonator contains also chemicals that are not classified as hazardous, and various other components, such as plastic tube, plug and other plastic components. These parts do not contain SVHC substances.



Page 3/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

Name	CAS	GHS classification	Concentration
HMX/A1 (EXEL)	2691-41-0	Expl. 1.1 – H201; Acute tox.4 - H302; Acute tox. 3 – H311	0.26
Aluminium	4729-90-5	Pyr. Sol.1- H250 Water-react 2- H261	0.03
Pentaerythritol tetranitrate (PETN)	78-11-5	Expl. 1.1, H201	14%
Lead azide	13424-46-9	Unst. Expl. 1.1 – H200; Acute tox. ingestion 4 - H302; Acute tox. Inh. 4 – H332; Repr. 1A – H360; STOT RE 2 –H373; Acute aquatic 1 – H400; Aquatic chronic 1 – H410	1%
Orange lead substance listed as REACH Candidate (Orange lead (lead tetroxide))	1314-41-6	Acute Tox. 4 (Oral) - H302 Acute Tox. 4 (Inhalation) - H332 Acute Tox. 4 (Inhalation:dust,mist) - H332 Carc. 2 - H351 Repr. 1A - H360Df Lact H362 STOT RE 1- H372 Aquatic Acute 1- H400 (M=10) Aquatic Chronic 1- H410	2%
Zirconium powder (pyrophoric) (*)	7440-67-7	Water-react. 1, H260 Pyr. Sol. 1, H250	2%
Barium chromate	10294-40-3	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1A, H350 Repr. 2, H361 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	6%
Manganese	7439-96-5	Not classified	4%

Comments

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Inhalation: Take the person to open air and keep them at rest in a comfortable position for breathing. If impaired breathing, use artificial breathing. Seek medical advice immediately.

Skin contact: Wash with plenty of water and soap for at least 15 minutes. Take off contaminated clothes and footwear. Wash contaminated clothes before using them again. Seek medical advice.

Eye contact: Remove contact lenses if applicable. Wash with plenty of water for 15 minutes, maintaining the eyelids open. Seek

^{*} The mixture is introduced in the market as a solid substance. The mixture is not in contact with air or water. The classification Water-react.1 H260 a Pyr. Sol. 1 H250 is not relevant for this mixture



Page 4/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

medical advice.

Ingestion: Wash mouth with water. Never offer anything to eat to an unconscious person or if the person has seizures. If the person is conscious, do not induce vomiting. Seek medical care immediately

4.2 Most important symptoms and effects, both acute and delayed

The substance can irritate the mucous conduits, the digestive tract, the skin and the eye conjunctivas in a localized way.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

DO NOT fight fires involving Explosives. There is an extreme risk that explosives involved in a fire may detonate, especially if confined. Evacuate the area in all directions for one (1) kilometer or more away for cover if any amount of explosives is involved in a fire. Evacuation is recommended if the initial (incipient) fire, not involving explosives, becomes intense.

5.1 Extinguishing media

Suitable extinguishing agents:

Suitable extinguishing media: do not extinguish fires. Evacuate personnel immediately. Let the fire extinguish by itself.

5.2 Special hazards arising from the substance or mixture

Dangers of unusual fire and explosion: It can explode, especially if exposed to fire or heat when confined and in great amounts In case of fire, it can produce fumes or toxic and irritating gases.

5.3 Advice for firefighters

Protective equipment:

Do not extinguish fires. Use positive pressure self-contained breathing equipment. Firefighter equipment will provide only limited protection

Additional information: Collect contaminated firefighting water separately. It must not enter the sewage system.

Announcing risk of explosion!

Tire or vehicle fire: use plenty of water and flood the fire. If there is no water available, use CO₂, dry chemical powder or mud. If the fire is on the load, do not extinguish it. Evacuate immediately.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate the area and isolate at least 500 meters. Use breathing apparatus in the event of exposure to dusts/fumes/aerosols. Ventilate closed spaces before entering. Avoid all sources of heat, flames, electrostatic discharge. Do not smoke. Avoid all kinds of shock and friction.

6.2 Environmental precautions

Do not spill in culverts, gutters or drainages.

6.3 Methods and material for containment and cleaning up

Pick up the material in a careful and mechanical way and place it in closed containers. Do not reuse these products under any circumstance. Only people with permission can dispose of altered products. In case of mechanical alteration of the detonators, it is necessary to contact the manufacturer immediately, who will dispose of the unused pieces in a special way.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Page 5/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures: Use proper protective equipment. Precautions: Protect containers from physical damage.

Recommendations on safe handling: Avoid contact with incompatible materials. Avoid inhalation and ingestion of the product. It is prohibited to eat, drink or smoke in the work areas.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in closed original packages until its use at room temperature and in a well ventilated dry place, with temperature intervals that oscillate between -30°C and +40°C. Take measures to prevent the accumulation of electrostatic discharge. Keep away from flames, hot surfaces and sources of ignition. Do not store together with drugs, food, drinks and animal feed. Keep away from children.

Information about storage in one common storage facility:

Technical measures: Store away from incompatible materials and substances.

Storage conditions: Do not expose to sunlight. Store in an area without access to water-drainages or culverts.

Incompatible products: Strong alkali or acids.

Further information about storage conditions:

Between -30°C and +40°C

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

No national control limit values are available. Exposition should be evaluated according to applicable local rules.

Additional information:

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Reduce the number of individuals at the work area to the minimum. Authorized personnel only

Breathing equipment:

According to common use and routine, after the detonation it is advisable to use respiratory protective equipment. Filters against gases and combined filters. The work to be made will determine the type of mask or average mask to use.

Protection of hands:

Not required, except to avoid injuries by abrasion and to reduce contact with the skin.

Material of gloves:

Neoprene, natural rubber

Eye protection:

Use protective glasses with sides or closed protective glasses.

Body protection:

Wear waterproof clothing, antistatic protective clothing.



Page 6/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

SECTION 9: Physical and che	emical properties	
 9.1 Information on basic physical ar General Information Appearance: 	· ·	
Form:	Solid	
Color:	Not applicable	
Odor:	Odourless	
· pH-value:	Not available.	
· Change in condition Boiling point/Boiling range:	Not available	
· Flash point:	Not available	
· Flammability (solid, gaseous):	Not available	
· Ignition temperature:	Not available	
Decomposition temperature:	Not available	
· Self igniting:	Product is not self-igniting.	
· Danger of explosion:	Yes.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C:	Not available	
· Solubility in / Miscibility with Water:	Insoluble	
· Solvent content: Organic solvents:		
Solids content: • 9.2 Other information	No further relevant information available	

SECTION 10: Stability and reactivity

10.1 Reactivity

Avoid contact with oxidizing agents and strong acids

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

May detonate if heated to temperature above 100 °C. May malfunction upon long-term exposure of Al-shell to acidic environment.

10.4 Conditions to be avoided

Heat, flames and sparks. Avoid electrostatic discharge, shocks, crashes and friction.

10.5 Incompatible materials

Alkalis or acids.

10.6 Hazardous decomposition products

The thermal decomposition products are toxic and can include lead, carbon oxides and nitrogen.



Page 7/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Harmful if swallowed. Toxic if inhaled.

ATE CLP (oral): 1343.477 mg/kg bodyweight

ATE CLP (dust,mist): 0.82 mg/l/4h

PETN

LD50 oral rat: 1660 mg/kg (Database TOMES/RTECS, Vol. 75

Orange lead

LD50 oral rat: > 10000 mg/kg (EU Database ECB/ESIS, 2000)

Lead diazide, lead azide

TDL0, orally, sewer-rat, 14 weeks intermittently (mg/kg): 3920 mg/kg (Data according to the database TOMES/RTECS, Vol. 75

Primary irritant effect:

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/irritation : Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : May damage the unborn child. Suspected of damaging fertility.

May cause harm to breast-fed children.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

Other information : Lead and its compounds are partly excreted by kidneys, partly deposited inside body,

especially bones. After long-term and high exposition, a chronic lead poisoning disease may develop, which is exhibited by failure of hemoglobin production, encephalopathy and also by paralysis of peripheral nerves. Lead and its compounds are known for their bioaccumulate effect and lead to irreversible health damage. Further lead and its compounds may damage unborn child and reproduction capability of humans. It is necessary to take this information into account in considering possibility of acquiring lead-poisoning disease caused by long term exposition (e.g. at

work).

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: The mixture is classified as acute toxic - category 1 and chronic toxic - category 2 in terms of its effect on the aquatic environment. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.



Page 8/10

Issue date: 11.12.2024

Version: 7.0

SHOCKSTAR DETONATORS (2500-9000ms)

Toxicity for fish: CL₅₀ (Pimephales promelas) 96 hs: 15 mg/L (HMX)- 0.1 mg/l (Orange lead) CE₅₀ (Daphnia magna) 48 hs: 49 mg/L. (PETN)- 0.98 mg/l (Orange lead)

Toxicity for algae: CE₅₀ (Selenastrum capricornutum) 96 hs: > 32 mg/L (HMX)- 0.05 mg/l (Orange lead)

12.2 Persistence and degradability

Not available.

12.3 Bio-accumulative potential

PETN:

Bioconcentration factor (BCF REACH): 17

Partition coefficient n-octanol/water (Log Kow): 2.4

12.4 Mobility in soil

PETN:

Partition coefficient n-octanol/water (Log Koc): 2.81

Ecotoxic effects:

Type of test Effective concentration Method Assessment:

Additional ecological information:

Not available

12.5 Other adverse effects

Harmful for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Dispose material according to local or state regulations, under the direct supervision of qualified personnel. Call Austin Powder for recommendations and assistance. This product can be hazardous under certain conditions and it must be picked, tagged and disposed immediately

Uncleaned packaging:

Recommendations: Incineration.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG	UN 0360
· 14.2 UN proper shipping name	
· ADR	DETONATOR ASSEMBLIES, NON- ELECTRIC
. MERCOSUR	DETONATOR ASSEMBLIES, NON- ELECTRIC
, IMDG:	DETONATOR ASSEMBLIES, NON- ELECTRIC
. IATA	Prohibited



Page 9/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

· 14.3	Transport hazard class(es)
. ADD	IMDG

· ADR, IMDG



· Class 1.1 B **· Label** 1

· IATA

· Class 1.1 B (prohibited)

· 14.4 Packing group

· ADR, IMDG Non-applicable

· 14.5 Environmental hazards

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Do not transport with incompatible materials. Do not use flammable

materials for stowage of packages. Do not transport with live animals.

• EMS Number: F-B, S-X

. Danger code (Kemler) Non-applicable

 \cdot 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not listed.

· Transport/Additional information:

· ADR

· Tunnel restriction code

· IATA

• Remarks: Air transport ICAO-IATA/DGR Prohibited.

· UN "Model Regulation": UN 0360, DETONATOR ASSEMBLIES, NON- ELECTRIC, 1.1B

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Law 19587 Regulatory decree 351/79 and Decree 295/2003

Law 20429 and decree 302/83

Resolution 801/15 of the Superintendency of Occupational Risks (SRT)

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Liability about information is not warranted although information is given to our best knowledge

Relevant phrases

H201 - Explosive; mass explosion hazard.

H302 - Harmful if swallowed.



Page 10/10

SHOCKSTAR DETONATORS (2500-9000ms)

Issue date: 11.12.2024

Version: 7.0

H317 - May cause an allergic skin reaction.

H331 - Toxic if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 - May cause genetic defects.

H350 - May cause cancer.

H360Df - May damage the unborn child. Suspected of damaging fertility.

H362 - May cause harm to breast-fed children.

H372 - Causes damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Recommended restriction of use

Handling of explosives is permitted only to persons with the appropriate permission

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)