Ammonium Nitrate Solution 37.5

Revision Date: 03/23/2018

Safety Data Sheet



SDS: P-17 Version: 1

SECTION 1: IDENTIFICATION

Product Identifier: Ammonium Nitrate Solution 37.5

Product Names

and Synonyms: Ammonium Nitrate Solution (Weak), weak ANS, weak ANSOL, 37.5% ANSOL

Intended Uses: Fertilizer solution and other industrial uses

Name, Address, and Telephone of the Responsible Party:

Austin Powder Company 25800 Science Park Dr. Cleveland, OH 44122 216-464-2400 during normal business hours 877-836-8286 Toll Free 24/7 www.austinpowder.com

In Case of Emergency Call CHEMTREC – TOLL FREE 24/7 800-424-9300 DOMESTIC 1-703-527-3887 INTERNATIONAL AND MARINE

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture:

Code	Hazard Class	Hazard Category
H319	Serious eye damage / eye irritation	2A

Label Elements

Warning



Hazard Statements

Causes eye irritation

Precautionary Statements

Wear eye protection, protective gloves recommended.

IF SWALLOWED: Get immediate medical attention. DO NOT induce vomiting.

IF ON SKIN: Wash contact area with soap and water. If irritation occurs, get medical attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists, get medical attention.

If exposed or concerned, or you do not feel well: Get medical attention.

Dispose of contents/container in accordance with all applicable regulations.

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 1 / 7

Safety Data Sheet

Other Hazards:

Unknown Acute Toxicity: Not available

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Name	CAS No.	% (w/w)
Ammonium nitrate	CAS No. 6484-52-2	37-38
Water	CAS No. 7732-18-5	62-63

SECTION 4: FIRST AID MEASURES

Inhalation: No known significant effects. If symptoms occur: move to open air, keep at rest and in

a position comfortable for breathing. Get medical attention. Ventilate suspected area.

Skin Contact: Wash contact areas with soap and water. Remove contaminated clothing. Wash

contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do so. Continue rinsing. Get medical attention if irritation persists.

Ingestion: Rinse mouth. DO NOT induce vomiting. Get medical attention.

Most Important Symptoms and Effects both Acute and Delayed:

Inhalation: May cause irritation to the respiratory tract, symptoms include:

sneezing, coughing, burning sensation of throat with constricting sensation of the

larynx and difficulty in breathing.

Skin Contact: May cause mild skin irritation. Symptoms may include: redness, pain, swelling, itching,

burning, dryness and dermatitis. May cause a more severe irritation or allergic reaction

in sensitive individuals.

Eye Contact: May cause serious eye irritation. Symptoms may include redness, pain, swelling,

itching, burning, tearing and blurred vision.

Ingestion: Overexposure by ingestion is unlikely under normal working conditions. If material has

been swallowed give small quantities of water to a conscious person, never give

anything by mouth to an unconciuos person. Do not induce vomiting.

Ammonium nitrate ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by blue lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. If ingested, nitrates may be reduced to nitrites by bacteria in the digestive tract. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate, hypotension, fainting and, possibly shock.

Indication of Any Immediate Medical Attention and Special Treatment Needed:

If exposed, concerned or you don't feel well, get medical attention.

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 2 / 7

Safety Data Sheet

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Non-flammable. Material will not burn. Use an extinguishing agnet

suitable fo the surrounding fire.

Unsuitable Extinguishing Media: None known

Special Hazards Arising from the Substance or Mixture

Fire Hazard: There is an extreme risk that ammonium nitrate involved in a fire may

detonate. In a fire, the water portion of the solution boils off quickly, leaving solid or molten ammonium nitrate. Dangerous if allowed to try

out, residue will exhibit oxidizing properties.

Advice for Firefighters

Precautionary Measures: It is recommended that the amount and location of ammonium nitrate

solution stored near a fire be determined prior to committing firefighters

to fight the fire.

Firefighting Instructions: When fighting the initial fire, not involving ammonium nitrate, firefighters

should follow standard firefighting procedures for the materials involved.

Hazardous CombustionNo unusual combustion products are expected. However, toxic fumes will be

present.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Isolate the area from unnecessary personnel.

For Emergency Personnel

Protective Equipment: Provide cleanup crew with proper PPE.

Emergency Procedures: Ventilate area.

Emergency Precautions: Stop the discharge if safe to do so. Ventilate area. Avoid dispersal

of spilled material runoff and contact with soil, waterways, drains

and sewers.

Methods and Material for

Containment and Cleaning Up: Contact manufacturer or CHEMTREC.

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 3 / 7



SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety

procedures. Wash hands and other exposed areas with soap and water before eating, drinking, or smoking and again when leaving work.

Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: May be corrosive to metals. Smoking, open flames, and unauthorized

sparking or flame-producing devices are prohibited.

Storage Conditions: Do not store below 32°F.

Storage areas should be inspected regularly by an individual trained to identify potential hazards and ensure that all safety and security control measures are being properly implemented. All ammonium nitrate storage sites must comply with ATF, OSHA or NRCAN

regulations.

Incompatible Materials: Avoid contamination with combustible or flammable materials, strong

acids, strong bases, strong oxidizing agents, reducing agents, chlorinated compounds, copper (any alloys like bronze and brass), metal powders

and peroxides.

Special Rules on Packaging: Packaging in accordance with USDOT or NRCAN regulations.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits of ingredient(s):

Ammonium nitrate, CAS No. 6484-52-2			
USA ACGIH (nuisance dust)	ACGIH TWA (mg/m ³)	10 mg/m ³ – Inhalable particulate	
USA OSHA (nuisance dust)	OHSA PEL (TWA) (mg/m ³)	5 mg/m ³ – Respirable (particulate)	

Exposure Controls:

Appropriate Engineering Controls: Product should be handled and used under strictly controlled conditions.

Emergency eye wash fountains and safety showers should be available in the

vicinity of any potential exposure, but are not required.

Personal Protective Equipment:

Hand Protection: Chemical resistant gloves are recommended but not required

Eye Protection: Safety glasses with side shields or safety goggles.

Respiratory Protection: Approved respiratory protection should be worn when recommended by a risk

assessment or if irritation is experienced.

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 4 / 7



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Physical and Chemical Properties:

Appearance: Clear liquid

Odor: Slight ammonia odor

Odor threshold: Not available Vapor density: Not relevant

pH: 4-8

Freezing point (Crystal point): -12° C (10°F) Initial boiling point and boiling range: Not available

Flash point: Not available

Evaporation rate: Not available Flammability: Will not burn

Upper / lower flammability or explosive limits: Not available

Vapor pressure: Not available

Bulk Density: 36% solution – 1.16 g/cc (9.7 lb/gal)

38% solution – 1.17 g/cc (9.7 lb/gal)

Solubility (for ammonium nitrate in water): 118 g/100 ml @ 0°C (32°F)

Partition coefficient: n-octol/water: Not available Auto-ignition temperature: Not available Decomposition temperature: 210°C (410°F)

Viscosity: Not relevant

Explosive properties: Mass detonation hazard when involved in a fire

Explosion Data – Sensitivity to Mechanical Impact: Not sensitive to mechanical impact Explosion Data – Sensitivity to Static Discharge: Not sensitive to static discharge

SECTION 10: STABILITY AND REACTIVITY

Reactivity and Chemical Stability: Stable and non-reactive under normal conditions of transportation, storage,

handling and use.

Possibility of Hazardous Reactions: Polymerization will not occur.

Conditions to Avoid: Open flame and elevated temperatures. Do not allow to dry out.

Incompatible Materials: Avoid contamination with combustible or flammable materials, strong acids,

strong bases, strong oxidizing agents, reducing agents, chlorinated compounds, copper (any alloys like bronze and brass), metal powders and

peroxides.

Hazardous Decomposition Products: No unusual fumes or decomposition products expected. However, toxic

fumes will be present.

SECTION 11: TOXICOLOGY INFORMATION

Acute Toxicity:

LD50 (derived): LD50 oral rat: 5834 mg/kg for 38% ammonium nitrate solution

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: May cause serious eye irritation

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 5 / 7



Reproductive Toxicity: Not classified

Specific Target Organ Toxicity

(Single Exposure): Not classified

Specific Target Organ Toxicity

(Repeated Exposure): Not classified.

Not classified **Aspiration Hazard:**

Symptoms/Injuries Harmful if inhaled, causes methemoglobinemia. Symptoms may include

after Inhalation: headache, dizziness, nausea and a loss of coordination.

Symptoms/Injuries May cause mild skin irritation. Symptoms may include: redness, pain, after Skin Contact:

swelling, itching, burning, dryness and dermatitis. May cause a more

severe or allergic reaction in sensitive individuals.

Symptoms/Injuries May cause serious eye irritation. Symptoms may include redness,

after Eye Contact: pain, swelling, itching, burning, tearing and blurred vision.

Symptoms/Injuries Burning sensation. Abdominal pain. Abdominal cramps. Vomiting.

Ammonium nitrate ingestion may cause methemoglobinemia. after Ingestion:

Chronic Symptoms: Although none are expected under normal conditions, inhalation

exposure may cause methemoglobinemia and may damage respiratory

tract.

LD50 and LC50 Data (ingredients):

Ammonium nitrate, CAS No. 6484-52-2		
LD50 Oral Rat	2,217 mg/kg of body weight	
LC50 Inhalation Rat	> 88.8 mg/l/4h	

SECTION 12: ECOLOGY INFORMATION

Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Call manufacturer or CHEMTREC.

SECTION 14: TRANSPORTATION INFORMATION

DOT	Not regulated
TDG	Not regulated
IMDG	Not regulated
IATA	Not regulated

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 6 / 7



SECTION 15: REGULATORY INFORMATION

US Federal Regulations:

Emergency Planning and Community Right-To-Know Act (EPCRA), a/k/a Superfund Amendments and Reauthorization Act (SARA) Title III

Toxic Substances Control Act (TSCA)

TSCA Section 8

Ammonium nitrate, CAS No. 6484-52-2

SARA Section 311/312	Reactive Hazard Fire Hazard Health Hazard
TSCA	Listed on the United States TSCA inventory

Canadian Regulations:

Domestic Substances List (DSL)

Workplace Hazardous Materials Information System (WHMIS)

Ammonium nitrate, CAS No. 6484-52-2

DSL	Listed on the Canadian DSL
WHMIS Classification	Class C – Oxidizing Substance Class D, Division 2, Subdivision B – Toxic material causing other toxic effects.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF LAST REVISION

This SDS was prepared in accordance with US (29 CFR 1900.1200) and Canadian (WHMIS 2015) requirements.

SDS: P-17 Initial Issue Date: 03/23/2018 Last Revision Date: n/a Version: 1

Party Responsible for the Preparation of this Document:

Austin Powder Company Cleveland, OH 44122 216-464-2400

This information is based on Austin Powder Company's current knowledge and is intended to describe the product for the purposes of health and safety requirements only. It should not be construed as guaranteeing any specific property of the product.

SDS: P-17 Version: 1 Revision Date: 03/23/2018 Page 7 / 7